ACER : Rack Servers

acer

* Service by Acer Care
เฉพาะกรุงเทพ & ปริมณฑล
นอกพื้นที่โปรดติดต่อฝ่ายขาย

	Altos BrainSphere™ R380F5 ACR-USRSKST001	Altos BrainSphere™ R320F5 ACR-USRJVST00D
CPU	Intel® Xeon® Silver 4316 Processor 30M Cache, 2.30 GHz	Intel® Xeon® E-2224G Processor 8M Cache, 3.50 GHz
Memory	32GB (2x16GB) DDR4-3200 ECC RDIMM	16GB (1x16GB) DDR4-2666 ECC UDIMM
Expansion Slots	1 PCI-E 4.0 x16 (FH) 5 PCI-E 4.0 x8 (FH) (PCIe4.0x16 options available) 1 PCI-E 4.0 x16 (LP) 1 PCI-E 4.0 x8 (Internal LP)	1 PCI-E 3.0 x8 1 M.2 2280/22110 slot (M-key, w/PCIe 3.0 x4)
Harddisk	2 x 2.5" 600GB SAS 10KRPM Hard Drive	2 x 1TB 3.5" SATA 7200 RPM
Chipset	Intel® C621A	Intel® C242
RAID Controller	HW RAID 0/1/10/5/6/50/60 Low-Profile PCI-E x8 8 ports	Integrated SATA RAID supports RAID 0, 1, 5, 10 on Windows® OS only
Max. # Internal Disks supports	12 x 3.5" NVMe/SAS/SATA hot-swappable bays for HDD/SSD	4 x 3.5" SAS/SATA hot-swappable bays for HDD/SSD
Optical device	No	No
Onboard Gigabit Ethernet	2-port 10GbE RJ-45 LAN Card	2 x RJ45 Ethernet LAN ports
Redundant Power Supply	Yes (1200W)	Yes (300W)
Form Factor	2U Rack	1U Rack
OS Support (Not Provide OS)	Microsoft® Windows Server® 2019 Red Hat® Enterprise Linux® 8.0 VMware ESXI 6.7 and 7.0	Microsoft® Windows Server® 2019 Red Hat® Enterprise Linux®
Mouse	Altos USB Mouse	Altos USB Mouse
Keyboard	Altos USB Keyboard	Altos USB Keyboard
Warranty	3 Year warranty Part & Labor, 5x8, Onsite Sevice NBD Thailand	3 Year warranty Part & Labor, 5x8, Onsite Sevice NBD Thailand
SRP (inc. VAT)	249,265.-	78,265.-

DELL EMC : Rack Servers

DELL Technologies

	PowerEdge R440 DEL-SNSR4404110	PowerEdge R440 DEL-SNSR4403106	PowerEdge R440 DEL-SNSR4404116
Form Factor	1U, 2.5" Chassis with up to 8 Hot Plug Hard Drives +	1U, 2.5" Chassis with up to 8 Hot Plug Hard Drives +	1U, 2.5" Chassis with up to 8 Hot Plug Hard Drives +
Processor	1 x Intel® Xeon® Silver 4110	1 x Intel® Xeon® Bronze 3106	2 x Intel® Xeon® Silver 4116
Processor Speed / Core	2.1G, 8C/16T, 9.6GT/s 2UPI, 11M Cache, Turbo, HT (85W)	1.7G, 8C/8T, 9.6GT/s 2UPI, 11M Cache, No Turbo, No HT (85W)	2.1G, 12C/24T, 9.6GT/s 2UPI, 16.5M Cache, Turbo, HT (85W)
Memory	DDR4-2400, 16GB (1x16GB) RDIMM, 2666MT/s, Dual Rank	8GB (1x8GB) RDIMM, 2666MT/s, Dual Rank	32GB (2x16GB) RDIMM, 2666MT/s, Dual Rank
Network	Dual-Port 1GbE On-Board LOM	Dual-Port 1GbE On-Board LOM	Dual-Port 1GbE On-Board LOM
Harddisk	2 x 1.2TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive	2 x 1TB 7.2K RPM NLSAS 12Gbps 512n 2.5in Hot-plug Hard Drive	4 x 1TB 7.2K RPM NLSAS 12Gbps 512n 2.5in Hot-plug Hard Drive
RAID Controller	PERC H730P+ Low Profile Adapter RAID Controller, 2Gb NV Cache	PERC H730P+ Low Profile Adapter RAID Controller, 2Gb NV Cache	PERC H730P+ Low Profile Adapter RAID Controller, 2Gb NV Cache
Optical Drive	DVD+/-RW, SATA	DVD+/-RW, SATA	DVD+/-RW, SATA
Power Supply	Dual, Hot-plug, Redundant Power Supply (1+1), 550W	Dual, Hot-plug, Redundant Power Supply (1+1), 550W	Dual, Hot-plug, Redundant Power Supply (1+1), 550W
System Management	iDRAC9 Enterprise with OME Server Configuration Management	iDRAC9 Enterprise with OME Server Configuration Management	iDRAC9 Enterprise with OME Server Configuration Management
Warranty	3Yr ProSupport & Mission Critical:(7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical:(7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical:(7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive
SRP (inc. VAT)	133,750.-	107,000.-	208,650.-

SiS Distribution (Thailand) Public Company Limited
TEL. 02-020-3000
Email address : sis@sisthai.com

ราคา SRP/End user เป็นราคารวมภาษีมูลค่าเพิ่ม 7 % แล้ว
บริษัทขอสงวนสิทธิ์ในการเปลี่ยนแปลงโดยไม่ต้องแจ้งให้ทราบล่วงหน้า รวมทั้งข้อผิดพลาดของรายละเอียดต่างๆ อันเนื่องมาจากการพิมพ์

DELL : Rack Servers

DELL Technologies

	Dell PowerEdge R540 DEL-SNSR5404110	**Dell PowerEdge R240** DEL-SNSR2401	**Dell PowerEdge R240** DEL-SNSR2402
Form Factor	1U, 2.5" Chassis with up to 8 Hot Plug Hard Drives +	3.5" Chassis with up to 4 Hot Plug Hard Drives, 1U/2U 2/4-Post Static Rails	3.5" Chassis with up to 4 Hot Plug Hard Drives, 1U/2U 2/4-Post Static Rails
Processor	1 x Intel® Xeon® Silver 4110	Intel® Xeon® E-2124	Intel® Xeon® E-2124
Processor Speed / Core	2.1G, 8C/16T, 9.6GT/s 2UPI, 11M Cache, Turbo, HT (85W) DDR4-2400	3.3GHz, 8M cache, 4C/4T, turbo (71W)	3.3GHz, 8M cache, 4C/4T, turbo (71W)
Memory	16GB (1x16GB) RDIMM, 2666MT/s, Dual Rank	8GB 2666MT/s DDR4 ECC UDIMM	8GB 2666MT/s DDR4 ECC UDIMM
Network	Dual-Port 1GbE On-Board LOM	On-Board Broadcom 5720 Dual Port 1Gb LOM	On-Board Broadcom 5720 Dual Port 1Gb LOM
Harddisk	2 x 1.2TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive, 3.5in HYB CARR	1x BOSS controller card + with 1x M.2 Sticks 240G (No RAID),FH 2x 2TB 7.2K RPM NLSAS 12Gbps 512n 3.5in Hot-Plug Hard Drive	2x 2TB 7.2K RPM NLSAS 12Gbps 512n 3.5in Hot-Plug Hard Drive
RAID Controller	PERC H730P+ Low Profile Adapter RAID Controller, 2Gb NV Cache	PERC H330 RAID Controller, Adapter, Full Height	PERC H330 RAID Controller, Adapter, Full Height
Optical Drive	No Internal Optical Drive for 12 HD Chassis	DVD+/-RW, SATA, Internal	DVD+/-RW, SATA, Internal
Power Supply	Dual, Hot-plug, Redundant Power Supply (1+1), 750W	Single, Cabled Power Supply, 250W	Single, Cabled Power Supply, 250W
System Management	iDRAC9 Enterprise with OME Server Configuration Management	iDRAC9 Enterprise with OME Server Configuration Management	iDRAC9 Enterprise with OME Server Configuration Management
Warranty	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive
SRP (inc. VAT)	139,100.-	67,410.-	56,710.-

	Dell PowerEdge R340 DEL-SNSR3401	**Dell PowerEdge R340** DEL-SNSR3402	**PowerEdge R640** DEL-SNSR6404114
Form Factor	3.5" Chassis with up to 4 Hot Plug Hard Drives, ReadyRails™ Sliding Rails With Cable Management Arm	3.5" Chassis with up to 4 Hot Plug Hard Drives, ReadyRails™ Sliding Rails With Cable Management Arm	1U, Chassis with up to 10x2.5" Hard Drives, 2x16 LP PCI
Processor	Intel® Xeon® E-2124	Intel® Xeon® E-2124	1 x Intel® Xeon® Silver 4110
Processor Speed / Core	3.3GHz, 8M cache, 4C/4T, turbo (71W)	3.3GHz, 8M cache, 4C/4T, turbo (71W)	2.1G, 8C/16T, 9.6GT/s 2UPI, 11M Cache, Turbo, HT (85W) DDR4-2400
Memory	8GB 2666MT/s DDR4 ECC UDIMM	8GB 2666MT/s DDR4 ECC UDIMM	16GB (1x16GB) RDIMM, 2666MT/s, Dual Rank
Network	On-Board Broadcom 5720 Dual Port 1Gb LOM	On-Board Broadcom 5720 Dual Port 1Gb LOM	Broadcom 57416 2 Port 10Gb Base-T + 5720 2 Port 1Gb Base-T, rNDC
Harddisk	1x BOSS controller card + with 1x M.2 Sticks 240G (No RAID),FH 2x 2TB 7.2K RPM NLSAS 12Gbps 512n 3.5in Hot-Plug Hard Drive	2x 2TB 7.2K RPM NLSAS 12Gbps 512n 3.5in Hot-Plug Hard Drive	2 x 600GB 15K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive
RAID Controller	PERC H330 RAID Controller, Adapter, Full Height	PERC H330 RAID Controller, Adapter, Full Height	PERC H740P RAID Controller, 8Gb NV Cache, Minicard
Optical Drive	DVD+/-RW, SATA, Internal	DVD+/-RW, SATA, Internal	No Optical Drive
Power Supply	Dual, Hot-plug, Redundant Power Supply, 350W	Dual, Hot-plug, Redundant Power Supply, 350W	Dual, Hot-plug, Redundant Power Supply (1+1), 750W
System Management	iDRAC9 Enterprise with OME Server Configuration Management	iDRAC9 Enterprise with OME Server Configuration Management	iDRAC9 Enterprise with OME Server Configuration Management, 2x 32GB microSDHC/SDXC Card
Warranty	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive
SRP (inc. VAT)	78,645.-	70,085.-	167,883.-

DELL : Rack Servers

DELL Technologies

	PowerEdge R640 DEL-SNSR6404110	**PowerEdge R740** DEL-SNSR7403106	**PowerEdge R740** DEL-SNSR7404112
Form Factor	1U, Chassis with up to 10x2.5” Hard Drives, 2x16 LP PCI	2U, Chassis with up to 16 x 2.5” Hard Drives, ReadyRaild Sliding Rails With Cable Management Arm	2U, Chassis with up to 16 x 2.5” Hard Drives, ReadyRaild Sliding Rails With Cable Management Arm
Processor	1 x Intel® Xeon® Silver 4110	1 x Intel® Xeon® Bronze 3104	1 x Intel® Xeon® Silver 4112
Processor Speed / Core	2.1G, 8C/16T, 9.6GT/s 2UPI, 11M Cache, Turbo, HT (85W)	1.7G, 6C/6T, 9.6GT/s 2UPI, 8M Cache, No Turbo, No HT (85W)	2.6G, 4C/8T, 9.6GT/s 2UPI, 8.25M Cache, Turbo, HT (85W)
Memory	DDR4-2400	DDR4-2133	DDR4-2400 32GB (2x16GB) RDIMM, 2666MT/s, Dual Rank
Network	16GB (1x16GB) RDIMM, 2666MT/s, Dual Rank Broadcom 57416 2 Port 10Gb Base-T + 5720 2 Port 1Gb Base-T, rNDC	16GB (1x16GB) RDIMM, 2666MT/s, Dual Rank Broadcom 57416 2 Port 10Gb Base-T + 5720 2 Port 1Gb Base-T, rNDC	Broadcom 57416 2 Port 10Gb Base-T + 5720 2 Port 1Gb Base-T, rNDC
Harddisk	2 x 1.2TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive	2 x 900GB 15K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive	2 x 1.8TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive
RAID Controller	PERC H730P RAID Controller, 2Gb NV Cache, Minicard	PERC H740P RAID Controller, 8Gb NV Cache, Minicard	PERC H740P RAID Controller, 8Gb NV Cache, Minicard
Optical Drive	No Optical Drive	DVD+/-RW,SATA,Internal	DVD+/-RW,SATA,Internal
Power Supply	Dual, Hot-plug, Redundant Power Supply (1+1), 750W	Dual, Hot-plug, Redundant Power Supply (1+1), 750W	Dual, Hot-plug, Redundant Power Supply (1+1), 750W
System Management	iDRAC9 Enterprise with OME Server Configuration Management	iDRAC9 Enterprise with OME Server Configuration Management, 2x 32GB microSDHC/SDXC Card	iDRAC9 Enterprise with OME Server Configuration Management, 2x 32GB microSDHC/SDXC Card
Warranty	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport and Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport and Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive
SRP (inc. VAT)	78,645.-	141,133.-	181,900.-

	PowerEdge R740 DEL-SNSR7404110	**PowerEdge R740** DEL-SNSR7404114
Form Factor	2U, Chassis with up to 16 x 2.5” Hard Drives + LCD Bezel, ReadyRaild Sliding Rails With Cable Management Arm	2U, Chassis with up to 16 x 2.5” Hard Drives + LCD Bezel, ReadyRaild Sliding Rails With Cable Management Arm
Processor	1 x Intel® Xeon® Silver 4110	1 x Intel® Xeon® Silver 4114
Processor Speed / Core	2.1G, 8C/16T, 9.6GT/s 2UPI, 11M Cache, Turbo, HT (85W)	2.2G, 10C/20T, 9.6GT/s 2UPI, 14M Cache, Turbo, HT (85W)
Memory	DDR4-2400 16GB (1x16GB) RDIMM, 2666MT/s, Dual Rank	16GB (1x16GB) RDIMM, 2666MT/s, Dual Rank
Network	Broadcom 57416 2 Port 10Gb Base-T + 5720 2 Port 1Gb Base-T, rNDC	Broadcom 57416 2 Port 10Gb Base-T + 5720 2 Port 1Gb Base-T, rNDC
Harddisk	2 x 1.2TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive	2 x 1.8TB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive
RAID Controller	PERC H730P RAID Controller, 2Gb NV Cache, Minicard	PERC H730P RAID Controller, 2Gb NV Cache, Minicard
Optical Drive	DVD+/-RW,SATA,Internal	DVD+/-RW,SATA,Internal
Power Supply	Dual, Hot-plug, Redundant Power Supply (1+1), 1100W	Dual, Hot-plug, Redundant Power Supply (1+1), 1100W
System Management	iDRAC9 Enterprise with OME Server Configuration Management	iDRAC9 Enterprise with OME Server Configuration Management
Warranty	3Yr ProSupport and Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport and Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive
SRP (inc. VAT)	146,590.-	165,850.-

LENOVO : Tower Servers

Lenovo

เครื่องคอมพิวเตอร์แม่ข่าย แบบที่ 1 งบ 130,000.-

CPU Gen 2

	ThinkSystem SR530 LNV-7X08SQF600	ThinkSystem SR550 LNV-7X04T93600
Form Factor	Rack 1U	Rack 2U
CPU	Intel Xeon Silver 4210 (10C/2.2GHz/Cache 13.75 MB) x 1 Unit	Intel Xeon Silver 4210 (10C/2.2GHz/Cache 13.75 MB) x 1 Unit
Memory	ThinkSystem 16GB TruDDR4 2933MHz (2Rx8 1.2V) RDIMM x 1 Unit	ThinkSystem 16GB TruDDR4 2933MHz (2Rx8 1.2V) RDIMM x 1 Unit
RAID Controller	ThinkSystem RAID 5350-8i PCIe (cacheless) supports RAID 0, 1, 10, 5	ThinkSystem RAID 530-8i PCIe (cacheless) supports RAID 0, 1, 10, 5, 50
Harddisk	ThinkSystem 2.5" 1.2TB 10K SAS 12Gb Hot Swap 512n HDD x 2 Units	ThinkSystem 2.5" 1.2TB 10K SAS 12Gb Hot Swap 512n HDD x 2 Units
Optical Drive	External USB DVD-RW	External USB DVD-RW
NIC	Broadcom 5720 1GbE RJ45 - 2 Ports (10/100/1000 Base-T)	Broadcom 5720 1GbE RJ45 - 2 Ports (10/100/1000 Base-T)
Power Supply	750W Platinum Hot-Swap x 2 Units	750W Platinum Hot-Swap x 2 Units
System Manage-ment	XClarity Controller Enterprise	XClarity Controller Enterprise
Warranty	3Yr. 24x7 warranty	3Yr. 24x7 warranty
SRP (inc. VAT)	109,782.-	116,095.-

CPU Gen 2 - SSD

	ThinkSystem SR530 LNV-7X08SQF400	ThinkSystem SR550 LNV-7X04T93900
Form Factor	Rack 1U	Rack 2U
CPU	Intel Xeon Silver 4210 (10C/2.2GHz/Cache 13.75 MB) x 1 Unit	Intel Xeon Silver 4210 (10C/2.2GHz/Cache 13.75 MB) x 1 Unit
Memory	ThinkSystem 16GB TruDDR4 2933MHz (2Rx8 1.2V) RDIMM x 1 Unit	ThinkSystem 16GB TruDDR4 2933MHz (2Rx8 1.2V) RDIMM x 1 Unit
RAID Controller	ThinkSystem RAID 5350-8i PCIe (cacheless) supports RAID 0, 1, 10, 5	ThinkSystem RAID 5350-8i PCIe (cacheless) supports RAID 0, 1, 10, 5
Harddisk	ThinkSystem 2.5" PM893 480GB Read Intensive SATA 6Gb HS SSD x 2 Units	ThinkSystem 2.5" PM893 480GB Read Intensive SATA 6Gb HS SSD x 2 Units
Optical Drive	External USB DVD-RW	External USB DVD-RW
NIC	Broadcom 5720 1GbE RJ45 - 2 Ports (10/100/1000 Base-T)	Broadcom 5720 1GbE RJ45 - 2 Ports (10/100/1000 Base-T)
Power Supply	750W Platinum Hot-Swap x 2 Units	750W Platinum Hot-Swap x 2 Units
System Manage-ment	XClarity Controller Enterprise	XClarity Controller Enterprise
Warranty	3Yr. 24x7 warranty	3Yr. 24x7 warranty
SRP (inc. VAT)	110,210.-	116,309.-

LENOVO : Tower Servers

Lenovo

เครื่องคอมพิวเตอร์แม่ข่าย แบบที่ 2 งบ 350,000.-

CPU Gen 2

	ThinkSystem SR530 LNV-7X08SQA600	ThinkSystem SR550 LNV-7X04T93700
Form Factor	Rack 1U	Rack 2U
CPU	Intel Xeon Gold 5218 (16C/2.3GHz/Cache 22MB) x 2 Units	Intel Xeon Gold 5218 (16C/2.3GHz/Cache 22MB) x 2 Units
Memory	ThinkSystem 16GB TruDDR4 2933MHz (2Rx8 1.2V) RDIMM x 2 Unit	ThinkSystem 16GB TruDDR4 2933MHz (2Rx8 1.2V) RDIMM x 2 Unit
RAID Controller	ThinkSystem RAID 5350-8i PCIe (cacheless) supports RAID 0, 1, 10, 5	ThinkSystem RAID 530-8i PCIe (cacheless) supports RAID 0, 1, 10, 5, 50
Harddisk	ThinkSystem 2.5" 1.2TB 10K SAS 12Gb Hot Swap 512n HDD x 4 Units	ThinkSystem 2.5" 1.2TB 10K SAS 12Gb Hot Swap 512n HDD x 4 Units
Optical Drive	External USB DVD-RW	External USB DVD-RW
NIC	Broadcom 5720 1GbE RJ45 - 2 Ports (10/100/1000 Base-T)	Broadcom 5720 1GbE RJ45 - 2 Ports (10/100/1000 Base-T)
Power Supply	750W Platinum Hot-Swap x 2 Units	750W Platinum Hot-Swap x 2 Units
System Manage-ment	XClarity Controller Enterprise	XClarity Controller Enterprise
Warranty	3Yr. 24x7 warranty	3Yr. 24x7 warranty
SRP (inc. VAT)	248,561.-	252,092.-

CPU Gen 2 - SSD

	ThinkSystem SR530 LNV-7X08SQF500	ThinkSystem SR550 LNV-7X04T93800
Form Factor	Rack 1U	Rack 2U
CPU	Intel Xeon Gold 5218 (16C/2.3GHz/Cache 22MB) x 2 Units	Intel Xeon Gold 5218 (16C/2.3GHz/Cache 22MB) x 2 Units
Memory	ThinkSystem 16GB TruDDR4 2933MHz (2Rx8 1.2V) RDIMM x 2 Unit	ThinkSystem 16GB TruDDR4 2933MHz (2Rx8 1.2V) RDIMM x 2 Unit
RAID Controller	ThinkSystem RAID 5350-8i PCIe (cacheless) supports RAID 0, 1, 10, 5	ThinkSystem RAID 530-8i PCIe (cacheless) supports RAID 0, 1, 10, 5, 50
Harddisk	ThinkSystem 2.5" PM893 480GB Read Intensive SATA 6Gb HS SSD x 4 Units	ThinkSystem 2.5" PM893 480GB Read Intensive SATA 6Gb HS SSD x 4 Units
Optical Drive	External USB DVD-RW	External USB DVD-RW
NIC	Broadcom 5720 1GbE RJ45 - 2 Ports (10/100/1000 Base-T)	Broadcom 5720 1GbE RJ45 - 2 Ports (10/100/1000 Base-T)
Power Supply	750W Platinum Hot-Swap x 2 Units	750W Platinum Hot-Swap x 2 Units
System Manage-ment	XClarity Controller Enterprise	XClarity Controller Enterprise
Warranty	3Yr. 24x7 warranty	3Yr. 24x7 warranty
SRP (inc. VAT)	253,483.-	256,265.-

HPE : Rack Servers

Hewlett Packard Enterprise

Server HP มี Onsite Service ทุกรุ่น
สอบถามรายละเอียดโทร. 02-844-9622

	HPE ProLiant DL325 Gen10 HPE-P04647-B21	**HPE ProLiant DL385 Gen10** HPE-878724-B21
	HPE-872479-B21 HPE 1.2TB X 2 UNIT	**HPE-872479-B21 HPE 1.2TB X 2 UNIT**
CPU Types	AMD EPYC 7351 (2.4GHz/16-core/155-170W) Processor	2x AMD EPYC 7451 (2.3GHz/24-core/180W) Processor
CPU Min., max	1	Two processors
CPU L3 Cache	64 MB	64 MB
ECC Memory	16GB (2x8GB) DDR4-2666 Registered Smart Memory	64 GB RDIMM DR 2666 MT/s (2x 32 GB)
Graphic	Integrated Video Standard	Integrated Video Standard
PCI Slot	2-slots (x16, x8) as standard	3-slots (x8, x16, x8) as standard,
Harddisk	8 SFF Chassis	8 SFF Chassis
Onboard RAID	E208i-a	P408i-a w/Expander
Optical Drive	Optional: DVD-ROM, DVD-RW	DVD-RW
Total, Hotswap	8 SFF HDD Bays	8 SFF Chassis
Max, Internal disks	8 SFF Chassis	8 SFF Chassis
Interfaces	1 Rear VGA Port - Standard	
Onboard Gigabit Ethernet, Redundant Power	HPE 1Gb Ethernet 4-Port 331i Adapter plus	HPE 1Gb Ethernet 4-Port 331i Adapter plus
Dimensions (units)	(Height 4.29 x Width 43.46 x Depth 61.49 cm)	(Height 8.73 x Width 44.55 x Depth 67.94 cm)
Mechanical	**rack 1U**	rack 2U
Power Supply	HPE 500W Flex Slot Platinum Power Supply	2x 800W HPE FlexSlot power supply
OS Support	Microsoft Windows Server Red Hat Enterprise Linux (RHEL)SUSE Linux Enterprise Server (SLES)	Microsoft Windows Server Red Hat Enterprise Linux (RHEL)SUSE Linux Enterprise Server (SLES)
Warranty	3-year parts, 3-year labor, 3-year onsite support with next business day response 3/3/3	3-year parts, 3-year labor, 3-year onsite support with next business day response 3/3/3
SRP (inc. VAT)	129,470.-	332,600.-

	HPE ProLiant DL360 Gen10 CLX P03630-B21	**HPE ProLiant DL380 Gen10 CLX** P02462-B21
	P09712-B21 HPE 480GB SATA MU SFF SC DS SSD X 3 UNIT	**P09712-B21 HPE 480GB SATA MU SFF SC DS SSD X 3 UNIT**
CPU Types	Silver 4208 2.1GHz 8-core 1P	Silver 4208 2.1GHz 8-core 1P
CPU Min., max	รองรับ Two processors	รองรับ Two processors
CPU L3 Cache	11 MB	11 MB
ECC Memory	16 GB RDIMM 2R 2933 MT/s(1x 16 GB)	16 GB RDIMM 2R 2933 MT/s(1x 16 GB)
Graphic	Integrated Video Standard	Integrated Video Standard
PCI Slot	2 PCIe: 1 x16 FH, 1 x8 LP	3-slots (x8, x16, x8 with dual m.2)
Harddisk	8 SFF Chassis	8 SFF Chassis
Onboard RAID	P408i-a/2GB with Smart Storage Battery	P408i-a w/2GB cache
Optical Drive	Not included (Optical Drive options available)	Not included (Optical Drive options available)
Total, Hotswap	8 SFF HDD Bays	8 SFF Chassis
Max, Internal disks	8 SFF Chassis	8 SFF Chassis
Interfaces	1 Rear VGA Port - Standard	1 Rear VGA Port - Standard
Onboard Gigabit Ethernet, Redundant Power	HPE 1Gb Ethernet 4-Port 331i Adapter plus	HPE 1Gb Ethernet 4-Port 331i Adapter plus
Dimensions (units)	(Height 4.29 x Width 43.46 x Depth 70.7 cm)	(Height 8.73 x Width 44.55 x Depth 67.94 cm)
Mechanical	U rack	2U rack
Power Supply	1) HPE 500W Flex Slot Platinum Power Supply	1x HPE 500W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit
OS Support	Microsoft Windows Server Red Hat Enterprise Linux (RHEL)SUSE Linux Enterprise Server (SLES)	"Microsoft Windows Server Red Hat Enterprise Linux (RHEL)SUSE Linux Enterprise Server (SLES)"
Warranty	3-year parts, 3-year labor, 3-year onsite support with next business day response 3/3/3	3-year parts, 3-year labor, 3-year onsite support with next business day response 3/3/3
SRP (inc. VAT)	141,454.-	145,306.-

HPE : Rack Servers

Hewlett Packard Enterprise

Server HP มี Onsite Service ทุกรุ่น
สอบถามรายละเอียดโทร. 02-844-9622

	HPE Proliant DL325 Gen10 HPE-P04647-B21	HPE Proliant DL325 Gen10 HPE-P04646-B21
	HPE-872479-B21 HPE 1.2TB SAS HDD x 2 units	**HPE-861681-B21 HPE 2TB SATA HDD x 2 units**
CPU Types	AMD EPYC 7351 (2.4GHz/16-core/155-170W) Processor	AMD EPYC 7251 (2.1GHz/8-core/120W) Processor
CPU Min., max	1	1
CPU L3 Cache	64MB	32MB
ECC Memory	16GB (2x8GB) DDR4-2666 Registered Smart Memory	8GB (1x8GB) DDR4-2666 Registered Smart Memory
Graphic	Integrated Video Standard	Integrated Video Standard
PCI Slot	2-slots (x16, x8) as standard	2-slots (x16, x8) as standard
Harddisk	8 SFF Chassis	4 LFF Chassis
Onboard RAID	E208i-a	E208i-a
Optical Drive	Optional: DVD-ROM, DVD-RW	Optional: DVD-ROM, DVD-RW
Total, Hotswap	8 SFF HDD Bays	4 LFF HDD Bays
Max, Internal disks	8 SFF Chassis	4 LFF chassis
Interfaces	1 Rear VGA Port - Standard	1 Rear VGA Port - Standard
Onboard Gigabit Ethernet, Redundant Power	HPE 1Gb Ethernet 4-Port 331i Adapter plus	HPE 1Gb Ethernet 4-Port 331i Adapter plus
Dimensions (units)	(Height 4.29 x Width 43.46 x Depth 61.49 cm)	(Height 4.29 x Width 43.46 x Depth 61.49 cm)
Mechanical	rack 1U	rack 1U
Power Supply	HPE 500W Flex slot Platunum Power Supply	HPE 500W Flex slot Platunum Power Supply
OS Support	"Microsoft Windows Server Red Hat Enterprise Linux (RHEL)SUSE Linux Enterprise Server (SLES)"	"Microsoft Windows Server Red Hat Enterprise Linux (RHEL)SUSE Linux Enterprise Server (SLES)"
Warranty	3-year parts, 3-year labor, 3-year onsite support with next business day response	3-year parts, 3-year labor, 3-year onsite support with next business day response
SRP (inc. VAT)	129,470.-	93,000.-

	HPE Proliant DL385 Gen10 HPE-878722-B21
	HPE-872479-B21 HPE 1.2TB SAS 12G HDD x 2 units
CPU Types	2x AMD EPYC 7451 (2.3GHz/24-core/180W) Processor
CPU Min., max	Two processors
CPU L3 Cache	64MB
ECC Memory	64 GB RDIMM 2R 2666 MT/s (2x 32 GB)
Graphic	Integrated Video Standard
PCI Slot	3-slots (x8, x16, x8) as standard
Harddisk	8 SFF Chassis
Onboard RAID	P408i-a
Optical Drive	Universal Media Bay
Total, Hotswap	8 SFF HDD Bays
Max, Internal disks	8 SFF Chassis
Interfaces	1 Rear VGA Port - Standard
Onboard Gigabit Ethernet, Redundant Power	HPE 1Gb Ethernet 4-Port 331i Adapter plus
Dimensions (units)	(Height 8.73 x Width 44.55 x Depth 67.94 cm)
Mechanical	rack 2U
Power Supply	2 x 800W HPE FlexSlot power supply
OS Support	"Microsoft Windows Server Red Hat Enterprise Linux (RHEL)SUSE Linux Enterprise Server (SLES)"
Warranty	3-year parts, 3-year labor, 3-year onsite support with next business day response
SRP (inc. VAT)	320,200.-